ULTRA FAST CURE UV-CURED PRIMER SURFACERS

Offering a choice of spray gun ready quart or aerosol can, **ONECHOICE® UV-Cured Primer Surfacers** can be fully cured and ready to sand in two minutes—the ideal solution for high production shops seeking to increase the throughput of their paint operation.

- HIGH BUILD PERFORMANCE OF 2.0-2.5 MILS PER COAT
- READY TO SAND IN 2 MINUTES
- IDEAL FOR RAPID REPAIR PROCESSES
- SAVES TIME AND ENERGY
- CURES WITH UV LAMP OR SUNLIGHT
- COMPATIBLE WITH ALL PPG TOPCOATS



ULTRA FAST REFINISH REPAIRS WITH THE ADVANCED UV-CURED PRIMER SURFACER SYSTEM

From the latest UV cure technology, to the handheld LED light and accessories, *OneChoice* UV-Cured Primer will improve the speed of an average repair and increase the overall productivity of all size shops.



SPRAY GUN APPLY

SU1280 UV-Cured Primer Surfacer is ready to spray after mechanical agitation and provides easy-to-sand, high-build performance for small to medium-size repairs. The 2-coat process provides high film build of 4-5 mils. Refer to Product Bulletin OC-44 for complete instructions.



AEROSOL SHAKE 'N SPRAY

Ideal for small spot repairs, SUA1280 UV-Cured Aerosol Primer Surfacer offers high-build performance over a wide range of properly prepared substrates, including most rigid and semi-rigid plastics. Simply shake and spray—no mixing, no cleanup! Refer to Product Bulletin OC-44 for complete instructions.



CURES IN 2 MINUTES

Cures in two minutes with any handheld UV LED lamp emitting a UVA wavelength of 395 or greater—then the surface is immediately ready to sand. This primer surfacer can also be cured by direct sunlight in 10-30 minutes, depending on UV intensity.

EVERYTHING YOU NEED

PPG offers a complete set of accessories to facilitate application and ensure safe use of our UV primer surfacer system:

- Dedoes Handheld UV Led Light—**DEXUVL** (Recommended for small spot repairs)
- UV Protective Glasses—**SAS5346**
- UV Protective Gloves Large—SAS66518
- UV Protective Gloves Extra Large—SAS66519
- Timer with Magnet—DEX500

All items are available individually and can be found on the *OneChoice* product list.









NEW PRODUCT ANNOUNCEMENT

ENVIROBASE® HIGH PERFORMANCE

Date: May 17, 2021

Low VOC Matte and Semi-Gloss Clearcoat System

EC5515, EC5517

Product Information:

The 2.1 Low VOC Matte and Semi-Gloss Clearcoat System consists of two versatile 2K acrylic urethane clearcoats designed to reproduce a range of low-gloss levels for the specialized repairs of vehicles originally finished with a low-gloss clearcoat over a single or multistage basecoat color system (e.g. BMW®, FIAT®, LAMBORGHINI®, or MERCEDES BENZ®). To allow for the normal gloss variations due to color, model, position or repair on the vehicle, the mix of the

two clearcoats can be varied to match the existing vehicle finish to be repaired. EC5515 and EC5517 or mixes of the two may also be used over rigid plastics without the need of special additives.

Features & Benefits:

- Simple 3:1:1 mix ratio
- Uses ECH5075 hardener and DT1855 reducer
- Versatile for small and large jobs
- Excellent, consistent flow horizontally or vertically
- Smooth after bake
- Exceptional durability
- 5 gloss levels



Ordering Information:

Code:	EC5515	EC5517
Description:	Low VOC Matte Clear	Low VOC Semi-Gloss Clear
Item Number:	ECP5515/04	ECP5517/04
Size:	1 Quart	1 Quart
Container:	Round	Round
Packaging:	4 per case	4 per case